

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	0	1	1
		% within Sex	.0%	20.0%	5.0%
	20-24	Count	1	1	2
		% within Sex	6.7%	20.0%	10.0%
	25-29	Count	3	0	3
		% within Sex	20.0%	.0%	15.0%
	30-34	Count	3	0	3
		% within Sex	20.0%	.0%	15.0%
	35-39	Count	4	1	5
		% within Sex	26.7%	20.0%	25.0%
	40-44	Count	1	0	1
		% within Sex	6.7%	.0%	5.0%
	45-49	Count	1	2	3
		% within Sex	6.7%	40.0%	15.0%
	55-59	Count	1	0	1
		% within Sex	6.7%	.0%	5.0%
	60-64	Count	1	0	1
		% within Sex	6.7%	.0%	5.0%
	Total		15	5	20
			100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	8	2	10
		% within Sex	53.3%	40.0%	50.0%
	African American	Count	2	3	5
		% within Sex	13.3%	60.0%	25.0%
	Hispanic	Count	4	0	4
		% within Sex	26.7%	.0%	20.0%
	Not Specified	Count	1	0	1
		% within Sex	6.7%	.0%	5.0%
	Total		15	5	20
			100.0%	100.0%	100.0%

a. PHR = PHR 9

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6	0	6
		% within Sex	40.0%	.0%	30.0%
	IDU	Count	3	0	3
		% within Sex	20.0%	.0%	15.0%
	M-M & IDU	Count	1	0	1
		% within Sex	6.7%	.0%	5.0%
	Heterosexual Contact	Count	0	4	4
		% within Sex	.0%	80.0%	20.0%
	Not Classified	Count	5	1	6
		% within Sex	33.3%	20.0%	30.0%
Total	Count	15	5	20	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	10	10
		% within Adult-Ped	50.0%	50.0%
	African American	Count	5	5
		% within Adult-Ped	25.0%	25.0%
	Hispanic	Count	4	4
		% within Adult-Ped	20.0%	20.0%
	Not Specified	Count	1	1
		% within Adult-Ped	5.0%	5.0%
Total	Count	20	20	
	% within Adult-Ped	100.0%	100.0%	

a. PHR = PHR 9

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	0	2	2
		% within Sex	.0%	18.2%	6.9%
	20-24	Count	2	2	4
		% within Sex	11.1%	18.2%	13.8%
	25-29	Count	1	2	3
		% within Sex	5.6%	18.2%	10.3%
	30-34	Count	5	1	6
		% within Sex	27.8%	9.1%	20.7%
	35-39	Count	1	1	2
		% within Sex	5.6%	9.1%	6.9%
	40-44	Count	6	2	8
		% within Sex	33.3%	18.2%	27.6%
Total	45-49	Count	1	1	2
		% within Sex	5.6%	9.1%	6.9%
	50-54	Count	1	0	1
		% within Sex	5.6%	.0%	3.4%
	65-69	Count	1	0	1
		% within Sex	5.6%	.0%	3.4%
	Total		18	11	29
			100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	8	4	12
		% within Sex	44.4%	36.4%	41.4%
	African American	Count	1	1	2
		% within Sex	5.6%	9.1%	6.9%
	Hispanic	Count	9	6	15
		% within Sex	50.0%	54.5%	51.7%
Total	Count	18	11	29	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	8	0	8
		% within Sex	44.4%	.0%	27.6%
	IDU	Count	4	1	5
		% within Sex	22.2%	9.1%	17.2%
	M-M & IDU	Count	2	0	2
		% within Sex	11.1%	.0%	6.9%
	Heterosexual Contact	Count	1	8	9
		% within Sex	5.6%	72.7%	31.0%
	Not Classified	Count	3	2	5
		% within Sex	16.7%	18.2%	17.2%
Total	Count	18	11	29	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	12	12
		% within Adult-Ped	41.4%	41.4%
	African American	Count	2	2
		% within Adult-Ped	6.9%	6.9%
	Hispanic	Count	15	15
		% within Adult-Ped	51.7%	51.7%
Total	Count	29	29	
	% within Adult-Ped	100.0%	100.0%	

a. PHR = PHR 9

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	1 (12-23 mo)	Count	1	0	1
		% within Sex	1.0%	.0%	.7%
	5-12	Count	1	0	1
		% within Sex	1.0%	.0%	.7%
	13-19	Count	1	4	5
		% within Sex	1.0%	10.0%	3.7%
	20-24	Count	8	6	14
		% within Sex	8.3%	15.0%	10.3%
	25-29	Count	12	8	20
		% within Sex	12.5%	20.0%	14.7%
	30-34	Count	20	5	25
		% within Sex	20.8%	12.5%	18.4%
	35-39	Count	15	6	21
		% within Sex	15.6%	15.0%	15.4%
	40-44	Count	18	5	23
		% within Sex	18.8%	12.5%	16.9%
	45-49	Count	12	4	16
		% within Sex	12.5%	10.0%	11.8%
	50-54	Count	3	1	4
		% within Sex	3.1%	2.5%	2.9%
	55-59	Count	1	0	1
		% within Sex	1.0%	.0%	.7%
	60-64	Count	3	1	4
		% within Sex	3.1%	2.5%	2.9%
	65-69	Count	1	0	1
		% within Sex	1.0%	.0%	.7%
Total	Count	96	40	136	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	50	18	68
		% within Sex	52.1%	45.0%	50.0%
	African American	Count	10	9	19
		% within Sex	10.4%	22.5%	14.0%
	Hispanic	Count	32	13	45
		% within Sex	33.3%	32.5%	33.1%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	2.1%	.0%	1.5%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	1.0%	.0%	.7%
	Not Specified	Count	1	0	1
		% within Sex	1.0%	.0%	.7%
Total	Count	96	40	136	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	42	0	42
		% within Sex	43.8%	.0%	30.9%
	IDU	Count	14	6	20
		% within Sex	14.6%	15.0%	14.7%
	M-M & IDU	Count	7	0	7
		% within Sex	7.3%	.0%	5.1%
	Heterosexual Contact	Count	2	24	26
		% within Sex	2.1%	60.0%	19.1%
	Not Classified	Count	29	10	39
		% within Sex	30.2%	25.0%	28.7%
	Ped Parent at Risk	Count	2	0	2
		% within Sex	2.1%	.0%	1.5%
Total	Count	96	40	136	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	2	66	68
		% within Adult-Ped	100.0%	49.3%	50.0%
	African American	Count	0	19	19
		% within Adult-Ped	.0%	14.2%	14.0%
	Hispanic	Count	0	45	45
		% within Adult-Ped	.0%	33.6%	33.1%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	1.5%	1.5%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.7%	.7%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.7%	.7%
	Total	Count	2	134	136
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 9

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	1 (12-23 mo)	Count	1	0	1
		% within Sex	1.1%	.0%	.8%
	5-12	Count	1	0	1
		% within Sex	1.1%	.0%	.8%
	13-19	Count	1	4	5
		% within Sex	1.1%	10.0%	3.9%
	20-24	Count	8	6	14
		% within Sex	9.0%	15.0%	10.9%
	25-29	Count	12	8	20
		% within Sex	13.5%	20.0%	15.5%
	30-34	Count	18	5	23
		% within Sex	20.2%	12.5%	17.8%
	35-39	Count	15	6	21
		% within Sex	16.9%	15.0%	16.3%
	40-44	Count	16	5	21
		% within Sex	18.0%	12.5%	16.3%
	45-49	Count	9	4	13
		% within Sex	10.1%	10.0%	10.1%
	50-54	Count	3	1	4
		% within Sex	3.4%	2.5%	3.1%
	55-59	Count	1	0	1
		% within Sex	1.1%	.0%	.8%
	60-64	Count	3	1	4
		% within Sex	3.4%	2.5%	3.1%
	65-69	Count	1	0	1
		% within Sex	1.1%	.0%	.8%
Total		Count	89	40	129
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1	0	1
		% within Sex	1.1%	.0%	.8%
	13-19	Count	1	1	2
		% within Sex	1.1%	2.5%	1.6%
	20-24	Count	3	6	9
		% within Sex	3.4%	15.0%	7.0%
	25-29	Count	9	4	13
		% within Sex	10.1%	10.0%	10.1%
	30-34	Count	16	8	24
		% within Sex	18.0%	20.0%	18.6%
	35-39	Count	10	4	14
		% within Sex	11.2%	10.0%	10.9%
	40-44	Count	24	8	32
		% within Sex	27.0%	20.0%	24.8%
	45-49	Count	10	5	15
		% within Sex	11.2%	12.5%	11.6%
	50-54	Count	10	2	12
		% within Sex	11.2%	5.0%	9.3%
	55-59	Count	1	1	2
		% within Sex	1.1%	2.5%	1.6%
	60-64	Count	3	0	3
		% within Sex	3.4%	.0%	2.3%
	65-69	Count	0	1	1
		% within Sex	.0%	2.5%	.8%
	70+	Count	1	0	1
		% within Sex	1.1%	.0%	.8%
Total		Count	89	40	129
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	47	18	65
		% within Sex	52.8%	45.0%	50.4%
	African American	Count	10	9	19
		% within Sex	11.2%	22.5%	14.7%
	Hispanic	Count	28	13	41
		% within Sex	31.5%	32.5%	31.8%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	2.2%	.0%	1.6%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	1.1%	.0%	.8%
	Not Specified	Count	1	0	1
		% within Sex	1.1%	.0%	.8%
Total	Count	89	40	129	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	39	0	39
		% within Sex	43.8%	.0%	30.2%
	IDU	Count	14	6	20
		% within Sex	15.7%	15.0%	15.5%
	M-M & IDU	Count	7	0	7
		% within Sex	7.9%	.0%	5.4%
	Heterosexual Contact	Count	1	24	25
		% within Sex	1.1%	60.0%	19.4%
	Not Classified	Count	26	10	36
		% within Sex	29.2%	25.0%	27.9%
	Ped Parent at Risk	Count	2	0	2
		% within Sex	2.2%	.0%	1.6%
Total	Count	89	40	129	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	2	63	65
		% within Adult-Ped	100.0%	49.6%	50.4%
	African American	Count	0	19	19
		% within Adult-Ped	.0%	15.0%	14.7%
	Hispanic	Count	0	41	41
		% within Adult-Ped	.0%	32.3%	31.8%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	1.6%	1.6%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.8%	.8%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.8%	.8%
	Total	Count	2	127	129
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 9

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1	0	1
		% within Sex	4.0%	.0%	3.6%
	25-29	Count	4	0	4
		% within Sex	16.0%	.0%	14.3%
	30-34	Count	2	0	2
		% within Sex	8.0%	.0%	7.1%
	35-39	Count	7	2	9
		% within Sex	28.0%	66.7%	32.1%
	40-44	Count	3	0	3
		% within Sex	12.0%	.0%	10.7%
	45-49	Count	4	0	4
		% within Sex	16.0%	.0%	14.3%
	50-54	Count	2	1	3
		% within Sex	8.0%	33.3%	10.7%
	55-59	Count	2	0	2
		% within Sex	8.0%	.0%	7.1%
	Total		25	3	28
			100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	11	2	13
		% within Sex	44.0%	66.7%	46.4%
	African American	Count	3	0	3
		% within Sex	12.0%	.0%	10.7%
	Hispanic	Count	11	1	12
		% within Sex	44.0%	33.3%	42.9%
Total	Count	25	3	28	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	14	0	14
		% within Sex	56.0%	.0%	50.0%
	IDU	Count	3	1	4
		% within Sex	12.0%	33.3%	14.3%
	M-M & IDU	Count	4	0	4
		% within Sex	16.0%	.0%	14.3%
	Heterosexual Contact	Count	0	2	2
		% within Sex	.0%	66.7%	7.1%
	Not Classified	Count	4	0	4
		% within Sex	16.0%	.0%	14.3%
Total	Count	25	3	28	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	13	13
		% within Adult-Ped	46.4%	46.4%
	African American	Count	3	3
		% within Adult-Ped	10.7%	10.7%
	Hispanic	Count	12	12
		% within Adult-Ped	42.9%	42.9%
Total	Count	28	28	
	% within Adult-Ped	100.0%	100.0%	

a. PHR = PHR 9

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	2	0	2
		% within Sex	9.5%	.0%	8.3%
	30-34	Count	6	0	6
		% within Sex	28.6%	.0%	25.0%
	35-39	Count	7	0	7
		% within Sex	33.3%	.0%	29.2%
	40-44	Count	4	2	6
		% within Sex	19.0%	66.7%	25.0%
	45-49	Count	1	0	1
		% within Sex	4.8%	.0%	4.2%
	50-54	Count	1	0	1
		% within Sex	4.8%	.0%	4.2%
	55-59	Count	0	1	1
		% within Sex	.0%	33.3%	4.2%
Total		Count	21	3	24
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	9	0	9
		% within Sex	42.9%	.0%	37.5%
	African American	Count	5	1	6
		% within Sex	23.8%	33.3%	25.0%
	Hispanic	Count	6	2	8
		% within Sex	28.6%	66.7%	33.3%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	4.8%	.0%	4.2%
Total	Count	21	3	24	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	11	0	11
		% within Sex	52.4%	.0%	45.8%
	IDU	Count	3	0	3
		% within Sex	14.3%	.0%	12.5%
	M-M & IDU	Count	2	0	2
		% within Sex	9.5%	.0%	8.3%
	Heterosexual Contact	Count	1	3	4
		% within Sex	4.8%	100.0%	16.7%
	Not Classified	Count	4	0	4
		% within Sex	19.0%	.0%	16.7%
Total	Count	21	3	24	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	37.5%	37.5%
	African American	Count	6	6
		% within Adult-Ped	25.0%	25.0%
	Hispanic	Count	8	8
		% within Adult-Ped	33.3%	33.3%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	4.2%	4.2%
Total	Count	24	24	
	% within Adult-Ped	100.0%	100.0%	

a. PHR = PHR 9

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	0	1	1
		% within Sex	.0%	1.4%	.2%
	5-12	Count	4	0	4
		% within Sex	.8%	.0%	.7%
	13-19	Count	6	0	6
		% within Sex	1.2%	.0%	1.1%
	20-24	Count	23	4	27
		% within Sex	4.8%	5.7%	4.9%
	25-29	Count	76	9	85
		% within Sex	15.7%	12.9%	15.3%
	30-34	Count	109	17	126
		% within Sex	22.5%	24.3%	22.7%
	35-39	Count	115	13	128
		% within Sex	23.8%	18.6%	23.1%
	40-44	Count	68	10	78
		% within Sex	14.0%	14.3%	14.1%
	45-49	Count	41	8	49
		% within Sex	8.5%	11.4%	8.8%
	50-54	Count	22	5	27
		% within Sex	4.5%	7.1%	4.9%
	55-59	Count	8	3	11
		% within Sex	1.7%	4.3%	2.0%
	60-64	Count	6	0	6
		% within Sex	1.2%	.0%	1.1%
	65-69	Count	4	0	4
		% within Sex	.8%	.0%	.7%
	70+	Count	2	0	2
		% within Sex	.4%	.0%	.4%
Total	Count	484	70	554	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	275	27	302
		% within Sex	56.8%	38.6%	54.5%
	African American	Count	65	18	83
		% within Sex	13.4%	25.7%	15.0%
	Hispanic	Count	143	25	168
		% within Sex	29.5%	35.7%	30.3%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.2%	.0%	.2%
Total	Count	484	70	554	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	243	0	243
		% within Sex	50.2%	.0%	43.9%
	IDU	Count	66	18	84
		% within Sex	13.6%	25.7%	15.2%
	M-M & IDU	Count	80	0	80
		% within Sex	16.5%	.0%	14.4%
	Hemophiliac	Count	8	0	8
		% within Sex	1.7%	.0%	1.4%
	Heterosexual Contact	Count	10	27	37
		% within Sex	2.1%	38.6%	6.7%
	Transfusion	Count	11	7	18
		% within Sex	2.3%	10.0%	3.2%
	Not Classified	Count	62	17	79
		% within Sex	12.8%	24.3%	14.3%
	Ped Hemophiliac	Count	2	0	2
		% within Sex	.4%	.0%	.4%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	.4%	1.4%	.5%
Total	Count	484	70	554	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	2	300	302
		% within Adult-Ped	40.0%	54.6%	54.5%
	African American	Count	0	83	83
		% within Adult-Ped	.0%	15.1%	15.0%
	Hispanic	Count	3	165	168
		% within Adult-Ped	60.0%	30.1%	30.3%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.2%	.2%
Total	Count	5	549	554	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	0	1	1
		% within Sex	.0%	2.9%	.4%
	5-12	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	13-19	Count	3	0	3
		% within Sex	1.4%	.0%	1.2%
	20-24	Count	8	2	10
		% within Sex	3.7%	5.9%	4.0%
	25-29	Count	32	5	37
		% within Sex	14.8%	14.7%	14.8%
	30-34	Count	44	7	51
		% within Sex	20.4%	20.6%	20.4%
	35-39	Count	58	9	67
		% within Sex	26.9%	26.5%	26.8%
	40-44	Count	35	3	38
		% within Sex	16.2%	8.8%	15.2%
	45-49	Count	15	2	17
		% within Sex	6.9%	5.9%	6.8%
	50-54	Count	13	3	16
		% within Sex	6.0%	8.8%	6.4%
55-59	Count	5	2	7	
	% within Sex	2.3%	5.9%	2.8%	
60-64	Count	1	0	1	
	% within Sex	.5%	.0%	.4%	
70+	Count	1	0	1	
	% within Sex	.5%	.0%	.4%	
Total	Count	216	34	250	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	0	1	1
		% within Sex	.0%	2.9%	.4%
	20-24	Count	2	0	2
		% within Sex	.9%	.0%	.8%
	25-29	Count	8	1	9
		% within Sex	3.7%	2.9%	3.6%
	30-34	Count	22	5	27
		% within Sex	10.2%	14.7%	10.8%
	35-39	Count	49	5	54
		% within Sex	22.7%	14.7%	21.6%
	40-44	Count	52	8	60
		% within Sex	24.1%	23.5%	24.0%
	45-49	Count	42	6	48
		% within Sex	19.4%	17.6%	19.2%
	50-54	Count	24	4	28
		% within Sex	11.1%	11.8%	11.2%
	55-59	Count	8	3	11
		% within Sex	3.7%	8.8%	4.4%
	60-64	Count	6	0	6
		% within Sex	2.8%	.0%	2.4%
	65-69	Count	2	1	3
		% within Sex	.9%	2.9%	1.2%
	70+	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total		Count	216	34	250
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total	
			Male	Female		
Race-Ethnicity	White Non-Hispanic	Count	111	14	125	
		% within Sex	51.4%	41.2%	50.0%	
	African American	Count	33	9	42	
		% within Sex	15.3%	26.5%	16.8%	
	Hispanic	Count	71	11	82	
		% within Sex	32.9%	32.4%	32.8%	
	Asian-Pacific Islander	Count	1	0	1	
		% within Sex	.5%	.0%	.4%	
	Total		Count	216	34	250
			% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	105	0	105
		% within Sex	48.6%	.0%	42.0%
	IDU	Count	31	9	40
		% within Sex	14.4%	26.5%	16.0%
	M-M & IDU	Count	33	0	33
		% within Sex	15.3%	.0%	13.2%
	Hemophiliac	Count	2	0	2
		% within Sex	.9%	.0%	.8%
	Heterosexual Contact	Count	8	15	23
		% within Sex	3.7%	44.1%	9.2%
	Transfusion	Count	3	0	3
		% within Sex	1.4%	.0%	1.2%
	Not Classified	Count	33	9	42
		% within Sex	15.3%	26.5%	16.8%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	2.9%	.4%
Total	Count	216	34	250	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	124	125
		% within Adult-Ped	50.0%	50.0%	50.0%
	African American	Count	0	42	42
		% within Adult-Ped	.0%	16.9%	16.8%
	Hispanic	Count	1	81	82
		% within Adult-Ped	50.0%	32.7%	32.8%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.4%	.4%
Total	Count	2	248	250	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. PHR = PHR 9

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	0	1	1
		% within Sex	.0%	1.4%	.3%
	1 (12-23 mo)	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	5-12	Count	2	0	2
		% within Sex	.7%	.0%	.5%
	13-19	Count	4	4	8
		% within Sex	1.3%	5.4%	2.1%
	20-24	Count	16	8	24
		% within Sex	5.2%	10.8%	6.3%
	25-29	Count	44	13	57
		% within Sex	14.4%	17.6%	15.0%
	30-34	Count	62	12	74
		% within Sex	20.3%	16.2%	19.5%
	35-39	Count	73	15	88
		% within Sex	23.9%	20.3%	23.2%
	40-44	Count	51	8	59
		% within Sex	16.7%	10.8%	15.6%
	45-49	Count	24	6	30
		% within Sex	7.9%	8.1%	7.9%
	50-54	Count	16	4	20
		% within Sex	5.2%	5.4%	5.3%
	55-59	Count	6	2	8
		% within Sex	2.0%	2.7%	2.1%
	60-64	Count	4	1	5
		% within Sex	1.3%	1.4%	1.3%
	65-69	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	70+	Count	1	0	1
		% within Sex	.3%	.0%	.3%
Total		Count	305	74	379
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1	1	2
		% within Sex	.3%	1.4%	.5%
	13-19	Count	1	1	2
		% within Sex	.3%	1.4%	.5%
	20-24	Count	5	6	11
		% within Sex	1.6%	8.1%	2.9%
	25-29	Count	17	5	22
		% within Sex	5.6%	6.8%	5.8%
	30-34	Count	38	13	51
		% within Sex	12.5%	17.6%	13.5%
	35-39	Count	59	9	68
		% within Sex	19.3%	12.2%	17.9%
	40-44	Count	76	16	92
		% within Sex	24.9%	21.6%	24.3%
	45-49	Count	52	11	63
		% within Sex	17.0%	14.9%	16.6%
	50-54	Count	34	6	40
		% within Sex	11.1%	8.1%	10.6%
	55-59	Count	9	4	13
		% within Sex	3.0%	5.4%	3.4%
	60-64	Count	9	0	9
		% within Sex	3.0%	.0%	2.4%
	65-69	Count	2	2	4
		% within Sex	.7%	2.7%	1.1%
	70+	Count	2	0	2
		% within Sex	.7%	.0%	.5%
Total		Count	305	74	379
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	158	32	190
		% within Sex	51.8%	43.2%	50.1%
	African American	Count	43	18	61
		% within Sex	14.1%	24.3%	16.1%
	Hispanic	Count	99	24	123
		% within Sex	32.5%	32.4%	32.5%
	Asian-Pacific Islander	Count	3	0	3
		% within Sex	1.0%	.0%	.8%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	Not Specified	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	Total	Count	305	74	379
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	144	0	144
		% within Sex	47.2%	.0%	38.0%
	IDU	Count	45	15	60
		% within Sex	14.8%	20.3%	15.8%
	M-M & IDU	Count	40	0	40
		% within Sex	13.1%	.0%	10.6%
	Hemophiliac	Count	2	0	2
		% within Sex	.7%	.0%	.5%
	Heterosexual Contact	Count	9	39	48
		% within Sex	3.0%	52.7%	12.7%
	Transfusion	Count	3	0	3
		% within Sex	1.0%	.0%	.8%
	Not Classified	Count	59	19	78
		% within Sex	19.3%	25.7%	20.6%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.3%	.0%	.3%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	.7%	1.4%	.8%
	Total	Count	305	74	379
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	3	187	190
		% within Adult-Ped	75.0%	49.9%	50.1%
	African American	Count	0	61	61
		% within Adult-Ped	.0%	16.3%	16.1%
	Hispanic	Count	1	122	123
		% within Adult-Ped	25.0%	32.5%	32.5%
	Asian-Pacific Islander	Count	0	3	3
		% within Adult-Ped	.0%	.8%	.8%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Total	Count	4	375	379
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 9